

 NEMO

DUNE



DUNE



DUNE



# DUNE COLORS




MOON



BEIGE



STONE



DEEP

\* Available in Natural, Lappato and Polished Finishes. Contact a sales representative for more information

Natural: 19"x19", 19"x38", 38"x38", chevron mosaic, 2"x2" mosaic

Lappato: 19"x19", 19"x38"


Polished: 19"x19", 19"x38", 38"x38"

# DUNE SIZES




**19"x38" rect.**

49.1x98.2 cm  
11mm thick




**12.5"x25"**

31.6x63.7 cm  
9.6mm thick  
Not rectified




**19"x19" rect.**

49.1x49.1 cm  
11mm thick




**2"x2" on 12"x12"**

5x5 cm on 30x30cm



**1 3/8" x 4" /**


**11 3/4" x 14 1/4" mosaic**



**38"x38" rect.**

98.2x98.2 cm

## TRIM TILES



**TREAD**

12"x38" Lapatto & Natural  
12"x24" Polished



**BULLNOSE TREAD**

12"x38" Lapatto & Natural  
12"x24" Polished



**BULLNOSE**

3"x38" Lapatto & Natural  
3"x25" Natural  
3"x12" Natural

Available in all colors.



# DUNE

|  |  |
|--|--|
| Type   | Coloured body porcelain tiles                          |
| Reference Rule   | EN 14411/16  |
| Membership Group   | B III  |
| Water Absorption   | Less than or equal to 0.3%                             |
| Mohs Hardness  | Natural: Mohs 9<br>Polished: Mohs 4<br>Lappato: Mohs 6 |
| Frost Resistant  | Compliant  |
| Chemical Resistant<br>Household Chemicals/Swimming Pool Salts<br><br>Low concentrations of acids and alkalis | GA<br><br>GLA/GHA                                      |
| Thickness  | 9.6mm and 11mm   |
| Dynamic Coefficient of Friction (DCOF)<br>ANSI A 137.1-2012  | Natural Finish: 0.54<br>Lappato Finish: 0.36           |
| Thermal Shock  | Resists  |
| Surface Flatness   | Complies   |





 **NEMO**  
NEMOTILE.COM

**DUNE**