











V3 Variation | Leather and Textured Exterior Finish

OWEN STONE

Owen Stone takes inspiration from the elegange of Italian Pietra di Cardosa and the United State's Vermont Slate. The leathered finish offers a buttery, cashmere-like feel that is smooth, silky, and soft to the touch. With an additional exterior finish, the tile allows for installations that flow from indoors to out for residential and commercial use.







Technical Information

| Finish | Leather, Textured Exterior | Thickness | 9.5 mm *10.5 mm in 24x48 |
|------------------------------|---|---------------------------------|---|
| Application - Leather Finish | Interior floor and wall, exterior wall, pool lining | Application - Textured Exterior | Interior and exterior floor and wll, pool full lining |
| Breaking Strength | >450 lbf | Bond Strength | >200 psi |
| Chemical Resistance | Unaffected | Frost Resistance | Resistant |
| Water Absorption | <0.50% | Scratch Hardness | 7 MOHS |
| Shade Variation | V3 | Edge | Rectified |
| DCOF - Leather | 0.42-0.52 | DCOF - Textured Ext. | 0.60-0.70 |
| Grout joint | 3 mm | | |

* Owen Stone is Green Squared certified and made in the USA

Sizes 24" x 48" 24" x 24" 12" x 24" 6" x 12" Cove Base 2" x 2" Mosaic on 12x12 Sheet with 3mm grout joints

